Substitute for form 1449B/PTO	ATTORNEY DOCKET NO.		APPLICATION NO.	
INFORMATION DISCLOSURE STATEMENT	2732.1047-010		10/526,175	
IN AN APPLICATION	FIRST NAMED INVENTOR		371(c) DATE	
O P E LISTING OF REFERENCES	Gary R. Ostroff		July 29, 2005	
SEP 2 6 2007 September 24, 2007	EXAMINER Pagonakis, Anna	CONFII 6462	RMATION NO.	GROUP 1609
The man of the state of the sta				

U.S. PATENT DOCUMENTS					
XAM INER NI- IIAL	REF. NO.	DOCUMENT NUMBER Number-Kind Code (if known)	ISSUE DATE / PUBLICATION DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT	
	A 1	3,903,297	09-02-1975	Robert	
	A2	4,237,266	12-02-1980	Sugiura, et al.	
•	A3	4,492,540	01-08-1985	Yamamoto	
	A4	4,810,646	03-07-1989	Jamas, et al.	
	A5	4,992,540	02-12-1991	Jamas, et al.	
	A6	5,037,972	08-06-1991	Jamas, et al.	
	A7	5,082,936	01-21-1992	Jamas, et al.	
	A8	5,223,409	06-29-1993	Ladner, et al.	
	A9	5,223,491	06-29-1993	Donzis	
	A10	5,250,436	10-05-1993	Jamas, et al.	
	A11	5,506,124	04-09-1996	Jamas, et al.	
,	A12	5,576,015	11-19-1996	Donzis	
	A13	5,702,719	12-30-1997	Donzis	
	A14	5,766,571	06-16-1998	Ceriani, et al.	
	A15	4,810,646	03-07-1989	Jamas, et al.	
	A16	4,761,402	08-02-1988	Williams, et al.	
	A17	4,739,046	04-19-1988	DiLuzio, et al.	
	A18	4,138,479	02-06-1979	Truscheit, et al.	
	A19	4,707,471	11-17-1987	Larm, et al.	
	A20	5,032,401	07-16-1991	Jamas, et al.	

EXAMINER	DATE CONSIDERED

Substitute for form 1449B/PTO INFORMATION DISCLOSURE STATEMENT	ATTORNEY DOCKET NO. 2732.1047-010		APPLICATION NO. 10/526,175	
INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION	FIRST NAMED INVENTOR Gary R. Ostroff		371(c) DATE July 29, 2005	
LISTING OF REFERENCES				
September 24, 2007	EXAMINER Pagonakis, Anna	CONFI 6462	RMATION NO.	GROUP 1609
(Use several sheets if necessary)	1			

	U.S. PATENT DOCUMENTS					
EXAM -INER INI- TIAL	REF. NO.	DOCUMENT NUMBER Number-Kind Code (if known)	ISSUE DATE / PUBLICATION DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT		
	A21	5,057,503	10-15-1991	Czop, et al.		
	A22	5,322,841	11-02-1992	Jamas, et al.		
	A23	5,320,849	06-14-1994	Hagiwara, et al.		
	A24	5,488,040	01-30-1996	Jamas, et al.		
	A25	5,532,223	07-02-1996	Jamas, et al.		
	A26	5,622,939	04-22-1997	Jamas, et al.		
	A27	3,943,247	03-09-1976	Komatsu, et al.		
	A28	5,504,079	04-02-1996	Jamas, et al.		
	A29	5,401,647	03-28-1995	Tanaka, et al.		
	A30	5,783,569	07-21-1998	Jamas, et al.		
	A31	5,817,643	10-06-1998	Jamas, et al.		
	A32	4,975,421	12-04-1990	Williams, et al.		
	A33	5,474,984	12-12-1995	Tanaka, et al.		
	A34	4,946,450	08-07-1990	Erwin		
	A35	5,663,324	09-02-1997	Jamas, et al.		
	A36	5,633,369	05-27-1997	Jamas, et al.		
	A37	5,811,542	09-22-1998	Jamas, et al.		
	A38	5,849,720	12-15-1998	Jamas, et al.		
	A39	5,607,677	03-04-1997	Jamas, et al.		
	A40	5,741,495	04-21-1998	Jamas, et al.		

EXAMINER	DATE CONSIDERED

Substitute for form 1449B/PTO	ATTORNEY DOCKET NO.		APPLICATION NO.	
INFORMATION DISCLOSURE STATEMENT	2732.1047-010		10/526,175	
IN AN APPLICATION	FIRST NAMED INVENTOR Gary R. Ostroff		371(c) DATE July 29, 2005	
LISTING OF REFERENCES				
September 24, 2007	EXAMINER Pagonakis, Anna	CONFII 6462	RMATION NO.	GROUP 1609
(Use several sheets if necessary)				

	FORE	IGN PATENT	DOCUMENTS	
	DOCUMENT NUMBER Country Code-Number-Kind Code (if known)	DATE MM-DD-YYYY	NAME OF PATENTEE OR APPLICANT OF CITED DOCUMENT	TRANSLATIO YES 1
B1	WO 02/058711 A1	08-01-2002	Sloan-Kettering Institute for Cancer Research	
B2	WO 2004/030613 A2	04-15-2004	University of Louisville Research Foundation, Inc.	:
В3	WO 2006/085895 A2	08-17-2006	Biopolymer Engineering, Inc., et al.	

EXAMINER	DATE CONSIDERED

Substitute for form 1449B/PTO	ATTORNEY DOCKET NO.		APPLICATION NO.	
INFORMATION DISCLOSURE STATEMENT	2732.1047-010		10/526,175	
IN AN APPLICATION	FIRST NAMED INVENTOR Gary R. Ostroff		371(c) DATE July 29, 2005	
LISTING OF REFERENCES				
September 24, 2007	EXAMINER Pagonakis, Anna	CONFI 6462	RMATION NO.	GROUP 1609
(Use several sheets if necessary)				

Tumors for Cytotoxic Recognition by Leukocyte Complement Receptor Type 3 (CD11b/CD18), " Journal of Immunology, 163(6): 3045-3052 (1999). C4 Wang, S-C., et al., "Targeting HER2: Recent Developments and Future Directions for Breast Cancer Patients," Seminars in Oncology, 28(6): 21-29 (2001). C5 Ross, G.D., et al., "Therapeutic Intervention with Complement and β-Glucan in Cancer," Immunopharmacology, 42(1-3): 61-74 (1999). C6 Database HCAPLUS on STN (Columbus, OH, USA), No. 137:119657, Cheung, N., "Antitumor Antibody-Enhancing Glucan," WO2002058711A1, 01 August 2002, abstract, see entire abstract. C7 Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Coiffier, B., et al., "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients with Relapsed or Refractory Intermediate or High-Grade NHL (IHG-NHL) or in Elderly Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract. C8 Database DRUGU on STN (Columbus, OH, USA), AN 1990-03601, Srivastava, R., et al, "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The ŷ- Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ŷ-Glucan-Binding Lectin Site of Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor Tor Zymosan and Rabbit		
 C1 Cheung, N-K. V., et al., "Oral (1—3), (1—4)-β-D-Glucan Synergizes with Antiganglioside GD2 Monoclonal Antibody 3F8 in the Therapy of Neurobastoma," Clinical Cancer Research, 8: 1217-1223 (May 2002). C2 Bohn, J.A., et al., "(1—3)-β-D-Glucans as Biological Response Modifiers: A Review of Structure-Functional Activity Relationships," Carbohydrate Polymers, 28: 3-14 (1995). C3 Yan, J., et al., "β-Glucan, A 'Specific' Biologic Response Modifier That Uses Antibodies to Target Tumors for Cytotoxic Recognition by Leukocyte Complement Receptor Type 3 (CD11b/CD18)," Journal of Immunology, 163(6): 3045-3052 (1999). C4 Wang, S-C., et al., "Targeting HER2: Recent Developments and Future Directions for Breast Cancer Patients," Seminars in Oncology, 28(6): 21-29 (2001). C5 Ross, G.D., et al., "Therapeutic Intervention with Complement and β-Glucan in Cancer," Immunopharmacology, 42(1-3): 61-74 (1999). C6 Database HCAPLUS on STN (Columbus, OH, USA), No. 137:119657, Cheung, N., "Antitumor Antibody-Enhancing Glucan," WO2002058711A1, 01 August 2002, abstract, see entire abstract. C7 Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Cofffier, B., et al., "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract. C8 Database DRUGU on STN (Columbus, OH, USA), AN 1990-03601, Srivastava, R., et al, "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjarnsson, et al., "Malorisa final Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996).		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
 C2 Bohn, J.A., et al., "(1-3)-β-D-Glucans as Biological Response Modiffers: A Review of Structure-Functional Activity Relationships," Carbohydrate Polymers, 28: 3-14 (1995). C3 Yan, J., et al., "β-Glucan, A 'Specific' Biologic Response Modifier That Uses Antibodies to Target Tumors for Cytotoxic Recognition by Leukocyte Complement Receptor Type 3 (CD11b/CD18)," Journal of Immunology, 163(6): 3045-3052 (1999). C4 Wang, S-C., et al., "Targeting HER2: Recent Developments and Future Directions for Breast Cancer Patients," Seminars in Oncology, 28(6): 21-29 (2001). C5 Ross, G.D., et al., "Therapeutic Intervention with Complement and β-Glucan in Cancer," Immunopharmacology, 42(1-3): 61-74 (1999). C6 Database HCAPLUS on STN (Columbus, OH, USA), No. 137:119657, Cheung, N., "Antitumor Antibody-Enhancing Glucan," W02002058711A1, 01 August 2002, abstract, see entire abstract. C7 Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Coiffier, B., et al., "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients with Relapsed or Refractory Intermediate or High-Grade NHL (IHG-NHL) or in Elderly Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract. C8 Database DRUGU on STN (Columbus, OH, USA), AN 1990-03601, Srivastava, R., et al., "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The "Glucan-Binding Lectin Site of Mouse CR3 (CD11b(CD18) and Its Function in Generating a Primed State of the Rec		Cheung, N-K. V., et al., "Oral $(1\rightarrow 3)$, $(1\rightarrow 4)$ - β -D-Glucan Synergizes with Antiganglioside GD2 Monoclonal Antibody 3F8 in the Therapy of Neurobastoma," Clinical Cancer Research, 8: 1217-
 C3 Yan, J., et al., "β-Glucan, A 'Specific' Biologic Response Modifier That Uses Antibodies to Target Tumors for Cytotoxic Recognition by Leukocyte Complement Receptor Type 3 (CD11b/CD18)," Journal of Immunology, 163(6): 3045-3052 (1999). C4 Wang, S-C., et al., "Targeting HER2: Recent Developments and Future Directions for Breast Cancer Patients," Seminars in Oncology, 28(6): 21-29 (2001). C5 Ross, G.D., et al., "Therapeutic Intervention with Complement and β-Glucan in Cancer," Immunopharmacology, 42(1-3): 61-74 (1999). C6 Database HCAPLUS on STN (Columbus, OH, USA), No. 137:119657, Cheung, N., "Antitumor Antibody-Enhancing Glucan," WO2002058711A1, 01 August 2002, abstract, see entire abstract. C7 Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Coiffier, B., et al., "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients with Relapsed or Refractory Intermediate or High-Grade NHL (HrG-NHL) or in Elderly Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract. C8 Database DRUGU on STN (Columbus, OH, USA), AN 1990-03601, Srivastava, R., et al, "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjernsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The y- Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of th	C2	Bohn, J.A., et al., " $(1\rightarrow 3)$ - β -D-Glucans as Biological Response Modifiers: A Review of Structure-Functional Activity Relationships," Carbohydrate Polymers, 28: 3-14 (1995).
 C4 Wang, S-C., et al., "Targeting HER2: Recent Developments and Future Directions for Breast Cancer Patients," Seminars in Oncology, 28(6): 21-29 (2001). C5 Ross, G.D., et al., "Therapeutic Intervention with Complement and β-Glucan in Cancer," Immunopharmacology, 42(1-3): 61-74 (1999). C6 Database HCAPLUS on STN (Columbus, OH, USA), No. 137:119657, Cheung, N., "Antitumor Antibody-Enhancing Glucan," WO2002058711A1, 01 August 2002, abstract, see entire abstract. C7 Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Coiffier, B., et al, "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients with Relapsed or Refractory Intermediate or High-Grade NHL (IHG-NHL) or in Elderly Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract. C8 Database DRUGU on STN (Columbus, OH, USA), AN 1990-03601, Srivastava, R., et al, "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The ŷ-Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to 123b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ŷ-Glucan-Binding Lectin Site of Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunolo	C3	Yan, J., et al., "β-Glucan, A 'Specific' Biologic Response Modifier That Uses Antibodies to Target Tumors for Cytotoxic Recognition by Leukocyte Complement Receptor Type 3 (CD11b/CD18),"
 C5 Ross, G.D., et al., "Therapeutic Intervention with Complement and β-Glucan in Cancer," Immunopharmacology, 42(1-3): 61-74 (1999). C6 Database HCAPLUS on STN (Columbus, OH, USA), No. 137:119657, Cheung, N., "Antitumor Antibody-Enhancing Glucan," WO2002058711A1, 01 August 2002, abstract, see entire abstract. C7 Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Coiffier, B., et al, "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients with Relapsed or Refractory Intermediate or High-Grade NHL (IHG-NHL) or in Elderly Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract. C8 Database DRUGU on STN (Columbus, OH, USA), AN 1990-03601, Srivastava, R., et al, "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The ŷ-Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ŷ-Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996). C13 Ross, G.D., et al., "Membrane Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14	C4	Wang, S-C., et al., "Targeting HER2: Recent Developments and Future Directions for Breast
Antibody-Enhancing Glucan," WO2002058711A1, 01 August 2002, abstract, see entire abstract. C7 Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Coiffier, B., et al, "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients with Relapsed or Refractory Intermediate or High-Grade NHL (IHG-NHL) or in Elderly Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract. C8 Database DRUGU on STN (Columbus, OH, USA), AN 1990-03601, Srivastava, R., et al, "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The ŷ- Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ŷ- Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996). C13 Ross, G.D., et al., "Membrane Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14 Ross, G.D., et al., "Specificity of Membrane Complement Receptor Type Three (CR3) for β-Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al., "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et a	C5	Ross, G.D., et al., "Therapeutic Intervention with Complement and β-Glucan in Cancer,"
 C7 Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Coiffier, B., et al, "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients with Relapsed or Refractory Intermediate or High-Grade NHL (IHG-NHL) or in Elderly Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract. C8 Database DRUGU on STN (Columbus, OH, USA), AN 1990-03601, Srivastava, R., et al, "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The Y-Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the y-Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996). C13 Ross, G.D., et al., "Membrane Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14 Ross, G.D., et al., "Specificity of Membrane Complement Receptor Type Three (CR3) for β-Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al., "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987).	. C6	Database HCAPLUS on STN (Columbus, OH, USA), No. 137:119657, Cheung, N., "Antitumor
 "Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883, 1989, abstract, see entire abstract. C9 Borchers, A.T., et al., "MINIREVIEW: Mushrooms, Tumors, and Immunity," Mushrooms and Immunity, 221(4): 281-293 (1999). C10 Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The y- Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the y-Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996). C13 Ross, G.D., et al., "Membrane Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14 Ross, G.D., et al, "Specificity of Membrane Complement Receptor Type Three (CR3) for β-Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al, "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by 		Database DRUGU on STN (Columbus, OH, USA), AN 1998:11655, Coiffier, B., et al, "A Multicenter, Randomized Phase II Study of Rituximab (Chimeric Anti-CD20 mAb) at Two Dosages in Patients with Relapsed or Refractory Intermediate or High-Grade NHL (IHG-NHL) or in Elderly Patients in First-Line Therapy," Blood (90, No. 10, Suppl. 1 Pt 1), 510A, 1997, abstract, see entire abstract.
 Immunity, 221(4): 281-293 (1999). C10 Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The ÿ- Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ÿ- Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996). C13 Ross, G.D., et al., "Membrane Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14 Ross, G.D., et al, "Specificity of Membrane Complement Receptor Type Three (CR3) for β-Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al, "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by 	C8	"Bioactive Polysaccharides from Plants," Phytochemistry, Vol. 28, No. 11, pages 2877-2883,
 Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996). C11 Xia, Y., et al., "The ÿ- Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ÿ- Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996). C13 Ross, G.D., et al., "Membrane Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14 Ross, G.D., et al, "Specificity of Membrane Complement Receptor Type Three (CR3) for β-Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al, "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by 	C9	
 C11 Xia, Y., et al., "The ÿ- Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to iC3b-Opsonized Target Cells," J. Immunol., 162: 2281-2290 (1999). C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ÿ- Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996). C13 Ross, G.D., et al., "Membrane Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14 Ross, G.D., et al, "Specificity of Membrane Complement Receptor Type Three (CR3) for β-Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al, "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by 	C10	Sveinbjørnsson, et al., "Macrophage Cytotoxicity Against Murine Meth A Sarcoma Involves Nitric Oxide-Mediated Apoptosis," Biochem. Biophys. Res. Commun., 223(3): 643-649 (1996).
 C12 Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ÿ-Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996). C13 Ross, G.D., et al., "Membrane Complement Receptor Type Three (CR3) has Lectin-Like Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14 Ross, G.D., et al, "Specificity of Membrane Complement Receptor Type Three (CR3) for β-Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al, "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by 	C11	Xia, Y., et al., "The ÿ- Glucan-Binding Lectin Site of Mouse CR3 (CD11b/CD18) and Its Function in Generating a Primed State of the Receptor That Mediates Cytotoxic Activation in Response to
 Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," The Journal of Immunology, 134(5): 3307-3315 (1985). C14 Ross, G.D., et al, "Specificity of Membrane Complement Receptor Type Three (CR3) for β-Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al, "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by 	C12	Thornton, B.P., et al., "Analysis of the Sugar Specificity and Molecular Location of the ÿ-Glucan-Binding Lectin Site of Complement Receptor Type 3 (CD11b/CD18)," J. Immunol., 156: 1235-1246 (1996).
Glucans," Complement, 4: 61-74 (1987). C15 Cain, J.A., et al, "Role of Complement Receptor Type Three and Serum Opsonins in the Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by		Properties Analogous to Bovine Conglutinin and Functions as a Receptor for Zymosan and Rabbit Erythrocytes as well as a Receptor for iC3b," <i>The Journal of Immunology</i> , 134(5): 3307-3315
Neutrophil Response to Yeast," Complement, 4: 75-86 (1987). C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by	C14	Glucans," Complement, 4: 61-74 (1987).
 C16 Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally Administered β-Glucan in Mice," Chem. Pharm. Bull., 39(6): 1606-1608 (1991). C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by 	C15	Cain, J.A., et al, "Role of Complement Receptor Type Three and Serum Opsonins in the
C17 Roubey, et al, "Staurosporine Inhibits Neutrophil Phatocytosis but not iC3b Binding Mediated by	C16	Suzuki, I., et al, "Inhibition of Experimental Pulmonary Metastais of Lewis Carcinoma by Orally
CR3 (CD110/CD18), The Journal of Immunology, 140(10): 3557-3562 (1991).	C17	

EXAMINER	DATE CONSIDERED
255010 1	

Substitute for form 1449B/PTO	ATTORNEY DOCKET NO.		APPLICATION NO.	
INFORMATION DISCLOSURE STATEMENT	2732.1047-010		10/526,175	
IN AN APPLICATION	FIRST NAMED INVENTOR Gary R. Ostroff		371(c) DATE July 29, 2005	
LISTING OF REFERENCES				
September 24, 2007	EXAMINER Pagonakis, Anna	CONFI 6462	RMATION NO.	GROUP 1609
(Use several sheets if necessary)		1		

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)		
C18	Ross, G.D., et al., "CR3 (CD11b, CD18): A Phagocyte and NK Cell Membrane Receptor with Multiple Ligand Specificities and Functions," Clin Exp Immunol, 92: 181-184 (1993).	
C19	Muto, Satoshi, et al., "CR3 (CD11b/CD18) Expressed by Cytotoxic T Cells and Natural Killer Cells is Upregulated in a Manner Similar to Neutrophil CR3 Following Stimulation with Various Activating Agents," Journal of Clinical Immunology, 13(3): 175-184 (1993).	
C20	Vetvicka, V., et al., "Soluble ÿ- Glucan Polysaccharide Binding to the Lectin Site of Neutrophil or Natural Killer Cell Complement Receptor Type 3 (CD11b/CD18) Generates a Primed State of the Receptor Capable of Mediating Cytotoxicity of iC3b-Opsonized Target Cells," J. Clin. Invest., 98(1): 50-61 (1996).	
C21	Vetvicka, V., et al., "Targeting of Natural Killer Cells to Mammary Carcinoma via Naturally Occurring Tumor Cell-Bound iC3b and beta-glucan-primed CR3 (CD11b/CD18)," J. Immunol, 159(2): 599-605 (1997).	
C22	Reddy, R.K., et al., "A Mixed Population of Immature and Mature Leucocytes in Umbilical Cord Blood Results in a Reduced Expression and Function of CR3 (CD11b/CD18)," Clin Exp Immunol, 114: 462-467 (1998).	
C23	Xia, Y., et al., "Generation of Recombinant Fragments of CD11b Expressing the Functional ÿ-Glucan-Binding Lectin Site of CR3 (CD11b/CD18)," <i>The Journal of Immunology, 162(12)</i> : 7285-7293 (1999).	
C24	Vetvicka, V., et al., "Regulation of CR3 (CD11b/CD18)-dependent Natural Killer (NK) Cell Cytotoxicity by Tumour Target Cell MHC Class I Molecules," Clin Exp Immunol, 115: 229-235 (1999).	
C25	Yan, J., et al., "Critical Role of Kupffer Cell CR3 (CD11b/CD18) in the Clearance of IgM-Opsonized Erythrocytes or Soluble ÿ- Glucan," <i>Immunopharmacology</i> , 46: 39-54 (2000).	
C26	Ross, G.D., "Regulation of the Adhesion Versus Cytotoxic Functions of the Mac-1/CR3/ÿ _M ÿ ₂ . Integrin Glycoprotein," <i>Critical Reviews in Immunology, 20:</i> 197-222 (2000).	
C27	Ross, G.D., "Role of the Lectin Domain of Mac-1/CR3 (CD11b/CD18) in Regulating Intercellular Adhesion," <i>Immunologic Research</i> , 25(3): 219-227 (2002).	
C28	Biopolymer Engineering Presentation: Pioneering Carbohydrate Technology to Improve Human Health, April 2003.	
C29	Blakeslee, Dennis, "The Two Faces of Immunity: Th1 and Th2," JAMA HIV/AIDS Resource Center, The Journal of the American Medical Association, Http://www.ama-assn.org/special/hiv/newsline/briefing/th1.htm (8/12/2002).	
C30	"What's the Difference of Th1 Cells and Th2 Cells Effect?" Http://www.madsci.org/posts/archives/may99/926272023.lm.r.html (May 8, 1999).	
C31	Heron Herbals: Feature Articles: "Balancing Cellular and Humoral Immunity," http://www.healthcalls.net/hh_art1alt.html (8/16/2002).	

EXAMINER	DATE CONSIDERED
·	